

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Amendments to the Claims:

Following is a complete listing of the claims pending in the application, as amended:

1-60. (Canceled.)

61. (Currently Amended) A system comprising:

a characterization module configured to obtain information about a current physical environment of a user that is external to a computing system of the user and to automatically characterize a current context of the user's context based at least in part on changes in the physical environment; and

a search criteria generator configured to receive a user search request via one or more input devices and to automatically generate search criteria corresponding to a the user search request based at least in part on the characterized current context of the user, so that results obtained using the automatically generated search criteria will automatically reflect the current context of the user., ~~wherein the search criteria generator is coupled to receive a user search request via one or more input devices, and further coupled to receive the user's context from the characterization module.~~

62. (Currently Amended) A ~~The system as recited in of~~ claim 61, wherein the ~~characterization module is configured to characterize the user's context based on input obtained information is~~ received from a plurality of one or more sensors., ~~wherein the plurality of sensors sense one or more of: the user's physical environment, the user's mental environment, the user's computing environment, and the user's data environment.~~

63. (Currently Amended) A system comprising:

a characterization module configured to obtain information about a current ~~characterize a user's context, wherein the user's context comprises physical environment of a user that is based at least in part on information pertaining to one or more of: the~~ a current physical location of the user's present location and on the

current time and to automatically characterize a current context of the user based at least in part on the physical environment; and

a search criteria generator configured to receive a user search request via one or more input devices and to automatically generate search criteria corresponding to a the user search request based at least in part on the characterized current context of the user, so that results obtained using the automatically generated search criteria will reflect the characterized current context of the user. ~~, wherein the search criteria is coupled to receive a user search request via one or more input devices, and further coupled to receive the user's context from the characterization module.~~

64. (Currently Amended) A ~~The~~ system as recited in ~~of~~ claim 61, wherein the ~~user's context comprises the~~ obtained information further includes information about a current mental environment information pertaining to of the user that is based at least in part on one or more of: the user's current likely intentions, the user's preferences, and the user's current attention.

65. (Currently Amended) A ~~The~~ system as recited in ~~of~~ claim 61, wherein the ~~user's context comprises the~~ obtained information further includes information about a current computing environment information pertaining to one or more of: of the user that is based at least in part on one or more of computing capabilities of a client computer being used by the computing system of the user, available I/O devices of the client computing system, processing capabilities of the client computing system, and available storage space on the client computing system.

66. (Currently Amended) A ~~The~~ system as recited in ~~of~~ claim 61, wherein the ~~user's context comprises the~~ obtained information further includes information about a current data environment information pertaining to of the user that is based at least in part on data and software resources on a client computer being used by the computing system of the user.

67-69. (Canceled.)

70. (Previously Presented) The system of claim 61 wherein the characterizing of the user's context by the characterization module includes automatically sensing a current context of the user that is independent of a present computing task of the user.

71. (Previously Presented) The system of claim 61 wherein the receiving of the user search request is based on the user generating a search query, and wherein the characterizing of the user's context by the characterization module includes automatically sensing a current context of the user that is independent of the generating of the search query by the user.

72. (Previously Presented) The system of claim 61 wherein the search criteria generator is part of an information solicitation management component of the system, and wherein the information solicitation management component is further configured to send the generated search criteria to one or more information sources and to receive information from the information sources corresponding to the sent search criteria.

73. (Previously Presented) The system of claim 72 wherein the information solicitation management component is further configured to provide to the user a version of the received information that is filtered based upon a current context.

74. (Previously Presented) The system of claim 73 wherein the information solicitation management component is further configured to perform the filtering of the received information, and wherein the current context is the current context of the user as characterized by the characterization module.

75. (Previously Presented) The system of claim 73 wherein the current context is the characterized context of the user, and wherein the received information is filtered remotely.

76. (Currently Amended) The system of claim ~~72~~61 wherein the search criteria generator is further configured to identify demographic data for the user and to base the generating of the search criteria at least in part on the demographic data.

77. (Previously Presented) The system of claim 72 wherein the search criteria generator is further configured to identify demographic data for the user, and wherein the information solicitation management component is further configured to use the demographic data to further enhance appropriateness of the received information.

78. (Previously Presented) The system of claim 72 wherein the information sources include one or more databases.

79. (Previously Presented) The system of claim 72 wherein the information sources include one or more search engines.

80. (Previously Presented) The system of claim 72 wherein the system further comprises at least some of the information sources, and wherein those information sources are configured to further obtain information from one or more additional external information sources.

81. (Previously Presented) The system of claim 72 wherein the received information includes advertising.

82. (Previously Presented) The system of claim 72 wherein the received information includes product information.

83. (Previously Presented) The system of claim 72 wherein the received information includes data from a database.

84. (Previously Presented) The system of claim 72 wherein the system includes a network interface, and wherein the information solicitation management component is further configured to performing the sending of the generated search criteria over a computer network via the network interface.

85. (Previously Presented) The system of claim 84 wherein the network interface is coupled to a wireless network.

86. (Previously Presented) The system of claim 61 wherein the system includes a module that identifies results information corresponding to the generated search criteria and that presents the results information to the user.

87. (Canceled.)

88. (Currently Amended) The system of claim 61 wherein the search criteria generator is further configured to base the generating of the search criteria at least in part on a characterized past context of the user.

89. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to suggest search criteria for the user's search request based upon the characterized user's context.

90. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to, prior to receiving the search request from the user, suggest search parameters to the user for the user's search request based upon the characterized user's context.

91. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to restrict the search request that the user can provide based upon the characterized user's context.

92. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to disregard the characterized user's context during the generating of the search criteria based upon results from prior generating of search criteria.

93. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to generate the search criteria by amending search criteria of the search request provided by the user.

94. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to operate automatically without user intervention.

95. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to operate in response to an explicit command by the user.

96. (Previously Presented) The system of claim 61 wherein the system further comprises a first computing device on which the characterization module resides and a second distinct computing device on which the search criteria generator resides.

97. (Previously Presented) The system of claim 61 wherein the system further comprises a body-worn computing device on which the characterization module resides.

98. (Previously Presented) The system of claim 61 wherein the system further comprises a body-worn computing device on which the search criteria generator resides.

99. (Previously Presented) The system of claim 61 wherein the system further comprises a computing device on which the characterization module resides that is remote from the user.

100. (Previously Presented) The system of claim 61 wherein the system further comprises a computing device on which the search criteria generator resides that is remote from the user.

101. (Currently Amended) The system of claim 61 wherein at least one ~~one or more~~ of the one or more input devices are connected to a computing device remote from the system.

102. (Previously Presented) The system of claim 61 wherein the system is a mobile computing device.

103. (Previously Presented) The system of claim 61 including sensors able to sense information about a user's context.

104. (Previously Presented) The system of claim 103 wherein the sensors are attached to a computing device local to the user.

105. (Previously Presented) The system of claim 103 wherein the sensors are remote from the user.

106. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to use privacy information associated with the user's context during the generating of the search criteria.

107. (Previously Presented) The system of claim 61 wherein the search criteria generator is further configured to use security information associated with the user's context during the generating of the search criteria.

108. (Previously Presented) The system of claim 107 wherein the using of the security information includes determining one or more elements of the user's context to exclude from the generated search criteria.

109. (Currently Amended) The system of claim 61 wherein the characterization module is further configured to characterize the context of the user substantially continuously.

110. (Currently Amended) A method comprising:
receiving sensed information related to a current ~~context~~ physical environment of a user;

automatically characterizing the a current context of the user based at least in part on changes in the physical environment of the user that were not directly initiated by the user; the sensed information;

receiving one or more search parameters identified by the user for a search request; and

generating search criteria for a search by modifying the search parameters using information from the characterized current context; and

receiving from one or more information sources search results for the search criteria.

111. (Previously Presented) The method of claim 110 wherein the characterizing of the current context of the user is performed by a characterization module, and wherein the generating of the search criteria is performed by a search criteria generator.

112. (Previously Presented) The method of claim 110 wherein the receiving of the sensed information includes sensing aspects of the current context of the user independent of a current computing task.

113. (Currently Amended) The method of claim 112 wherein the sensed aspects further include aspects of ~~a current physical environment of the user~~, of a current mental environment of the user, and of a current condition of the user.

114. (Previously Presented) The method of claim 110 wherein the characterizing of the current context of the user includes dynamically generating a model of the context of the user based at least in part on the sensed information.

115. (Previously Presented) The method of claim 110 wherein the modifying of the search parameters using information from the characterized current context includes augmenting the received search parameters with the information from the characterized current context.

116. (Previously Presented) The method of claim 110 wherein the sensed information includes physical environment information pertaining to one or more of a present location of the user and a current time.

117. (Previously Presented) The method of claim 110 wherein the sensed information includes mental environment information pertaining to one or more of likely intentions of the user, preferences of the user, and current attention of the user.

118. (Previously Presented) The method of claim 110 wherein the sensed information includes computing environment information pertaining to one or more of computing capabilities of a client computing device being used by the user, available I/O device of the client device, processing capabilities of the client device, and available storage space on the client device.

119. (Previously Presented) The method of claim 110 wherein a fee is charged for a capability to perform the method.

120. (Previously Presented) The method of claim 110 wherein a fee is charged each time the method is performed.

121. (Previously Presented) The method of claim 110 wherein a fee is charged by one or more specific information sources for using those information sources to provide information satisfying the search criteria.

122. (Previously Presented) The method of claim 110 wherein a fee is charged to information sources for using those information sources to provide information satisfying the search criteria.

123. (Previously Presented) The method of claim 122 wherein a fee is charged to give priority to the information provided by an information source.

124. (Previously Presented) The method of claim 110 wherein the method is performed by a mobile computing device.

125. (Previously Presented) The method of claim 110 including providing the received search results to the user.

126. (Previously Presented) The method of claim 125 including filtering the received search results before the providing based on a characterized current context of the user.

127. (Previously Presented) The method of claim 125 wherein the filtering is based at least in part on privacy information for the user from the characterized current

context and/or on security information for the user from the characterized current context.

128. (Previously Presented) The method of claim 110 wherein the generating of the search criteria includes filtering one or more of the received search parameters based on the characterized current context of the user.

129. (Previously Presented) The method of claim 110 including, before the receiving of the search parameters, suggesting search parameters to the user based on the characterized current context of the user.

130. (Currently Amended) The method of claim 110 wherein the augmenting modifying of the search parameters based on the characterized current context is performed automatically without user intervention.

131. (Previously Presented) The method of claim 110 wherein the generating of the search criteria is based at least in part on privacy information for the user from the characterized current context and/or on security information for the user from the characterized current context.

132. (Currently Amended) One or more computer-readable media containing instructions that when executed cause a computing device to perform a method comprising:

sensing information about a current context-physical environment of a user that is external to a computing device of the user;

~~under control of a characterization module, using the sensed information about the current physical environment to automatically characterizing the a current context of the user based on the sensed information~~;

receiving one or more search parameters identified by the user for a search request;

~~under control of a search criteria generator module,~~ automatically augmenting the received search parameters with additional information from the characterized current context;

receiving information from one or more information sources that satisfies the augmented search parameters; and

providing at least some of the received information to the user.

133. (New) A method for providing information to a user that is automatically identified as being appropriate for the user based at least in part on a current context of the user, the method comprising:

repeatedly monitoring a current environment of a user and using information from the monitoring to automatically characterize a current context of the user; and

when an indication is received of a type of information of interest to the user, automatically augmenting the indication of the type of information with additional information from the characterized current context;

receiving information from one or more information sources that satisfies the augmented information type indication; and

providing at least some of the received information to the user.

134. (New) The method of claim 133 wherein the repeated monitoring and characterizing is performed in a substantially continuous manner so as to maintain a characterized current context of the user that is accurate.